
Panel Mount Blade Fuse Holder-H3-40

The [Panel Mount Blade Fuse Holder](#) is ideal for auto or marine applications. This product takes standard blade fuses, rated for 250VAC 10A maximum.

Quick Details

1.Product Name:Fuse Blocks and Holders

2.Model:H3-40

3.Voltage breakdown:AC2500 1minute

4.insulation resistance:DC 500V 100MΩ M

5.Rating:10A 250VAC

6.Temperature tolerance:-20 ° C -150 ° C

7.Standard:IEC-60335-1 GB_9364.6-2001

8.Certification:ISO9001a, ROHS,


9.Mounting Ways:Panel installation

10.Material:Thermosetting glue, Huang Tongtong

11.Fuse size:5*20mm Fuse

12.Application:It is suitable for panel installation of all electrical and electronic equipment, testing equipment and sound equipment.

规格书Regulation book



Current ratings of fuse wire (from Table 53A of BS 7671: 1992)

Fuse wire rating (A)	Cu Wire diameter (mm)
3	0.15
5	0.20
10	0.35
15	0.50
20	0.60
25	0.75
30	0.85

Fuse wire rating (A)	Cu Wire diameter (mm)
45	1.25
60	1.53
80	1.8
100	2.0